```
=> File .Biotech
=> s (alpha-1-acid glycoprotein or AAG or orosmucoid or acute plasma protein#)
   6 FILES SEARCHED...
         28602 (ALPHA-1-ACID GLYCOPROTEIN OR AAG OR OROSMUCOID OR ACUTE PLASMA
               PROTEIN#)
=> s L1 and (lipopolysaccharide or LPS or endotoxin#)
          3371 L1 AND (LIPOPOLYSACCHARIDE OR LPS OR ENDOTOXIN#)
=> s 12 and (remov? or purif? or prepar? or depyrogen?)
          3076 L2 AND (REMOV? OR PURIF? OR PREPAR? OR DEPYROGEN?)
=> s 13 and (resin or silica-based or fumed silica or hydrophil?)
          2076 L3 AND (RESIN OR SILICA-BASED OR FUMED SILICA OR HYDROPHIL?)
=> s l4 and (vir? inactivat? or treat? or disinfect?)
          2062 L4 AND (VIR? INACTIVAT? OR TREAT? OR DISINFECT?)
=> s 15 and (remov? endotoxin or lipopolysaccharide or LPS)
          1521 L5 AND (REMOV? ENDOTOXIN OR LIPOPOLYSACCHARIDE OR LPS)
=> s 16 and (anion exchange matrix or chromatog?)
          1446 L6 AND (ANION EXCHANGE MATRIX OR CHROMATOG?)
=> s 17 and (anion exchange matrix)
1.8
             4 L7 AND (ANION EXCHANGE MATRIX)
=> d 18 1-4 bib ab
     ANSWER 1 OF 4 USPATFULL on STN
T.8
ΔN
       2003:221206 USPATFULL
TТ
       Mouse unable to express functional alpha-4 integrin protein, and methods
       for assaying compounds or agents for alpha-4 integrin protein antagonist
       activity and a genetic marker for evaluating efficacy of modulators of
       signaling activity of a VLA-4 receptor
       Wasel-Nielen, Monika, Bridgewater, NJ, UNITED STATES
IN
       Kirschbaum, Bernhard, Frankfurt am Main, GERMANY, FEDERAL REPUBLIC OF
       Foster, Martyn, Loughborough, UNITED KINGDOM
       Polites, Gregory, Bridgewater, NJ, UNITED STATES
       Khorkova, Olga, Bridgewater, NJ, UNITED STATES
       Zhu, Bin, Bridgewater, NJ, UNITED STATES
PΙ
       US 2003154499
                          A1
                               20030814
                          A1
ΑI
       US 2002-163899
                               20020605 (10)
PRAI
       GB 2001-24895
                           20011017
                           20010608 (60)
       US 2001-297112P
       US 2002-382927P
                           20020523 (60)
       US 2002-384109P
                           20020529 (60)
       Utility
DT
FS
       APPLICATION
       ROSS J. OEHLER, AVENTIS PHARMACEUTICALS INC., ROUTE 202-206, MAIL CODE:
LREP
       D-303A, BRIDGEWATER, PA, 08807
CLMN
       Number of Claims: 54
ECL
       Exemplary Claim: 1
DRWN
       25 Drawing Page(s)
LN.CNT 5627
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       Provided herein is a mouse that is unable to express functional alpha-4
       integrin protein, and methods for assaying agents for alpha-4 integrin
       antagonist activity, as well genetic markers for analyzing the efficacy
       of VLA-4 modulators, and particularly antagonists.
L8
     ANSWER 2 OF 4 USPATFULL on STN
       2002:235983 USPATFULL
AN
TI
       Purification method
IN
       More, John Edward, Elstree, UNITED KINGDOM
```

```
Rott, Jacqueline, Elstree, UNITED KINGDOM
       Lewin, David Roger, Elstree, UNITED KINGDOM
       National Blood Authority (non-U.S. corporation)
PA
PΙ
       US 2002128180
                          A1
                               20020912
                               20020226 (10)
       US 2002-82925
                          Α1
AΙ
       Continuation of Ser. No. US 1999-142348, filed on 25 Jan 1999, PENDING A
RLI
       371 of International Ser. No. WO 1997-GB642, filed on 7 Mar 1997,
       UNKNOWN
                           19960308
       GB 1996-4921
PRAI
       Utility
DT
       APPLICATION
FS
       SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A., P.O. BOX 2938, MINNEAPOLIS,
LREP
       MN, 55402
CLMN
       Number of Claims: 26
ECL
       Exemplary Claim: 1
       2 Drawing Page(s)
DRWN
LN.CNT 971
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       The invention relates to a method of removing
AB
       endotoxin from preparation of alpha-
       1-acid glycoprotein (orosomucoid) by contact
       with a finely divided non-toxic resin such as fumed
       silica. The invention also relates to a purification
       process for alpha-1-acid
       glycoprotein which includes this depyrogenation step,
       and to the depyrogenated product and its clinical uses.
     ANSWER 3 OF 4 USPATFULL on STN
L8
       2002:109017 USPATFULL
AN
       Purification method
TI
       More, John Edward, Elstree, UNITED KINGDOM
TN
       Rott, Jacqueline, Elstree, UNITED KINGDOM
       Lewin, David Roger, Elstree, UNITED KINGDOM
       National Blood Authority, UNITED KINGDOM (non-U.S. corporation)
PA
                                20020514
PΤ
       US 6387877
                          B1
       WO 9732893 19970912
AΤ
       US 1999-142348
                                19990125 (9)
       WO 1997-GB642
                                19970307
                                19990125 PCT 371 date
       DE 1996-4921
                           19960308
PRAT
DT
       Utility
FS
       GRANTED
       Primary Examiner: Low, Christopher S. F.; Assistant Examiner: Mohamed,
EXNAM
       Abdel A.
       Schwegman, Lundberg, Woessner & Kluth, P.A.
LREP
CLMN
       Number of Claims: 17
ECL
       Exemplary Claim: 1
       2 Drawing Figure(s); 2 Drawing Page(s)
DRWN
LN.CNT 942
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       The invention relates to a method of removing
AB
       endotoxin from preparations of alpha-
       1-acid glycoprotein (orosomucoid) by contact
       with a finely divided non-toxic resin such as fumed
       silica. The invention also relates to a purification
       process for alpha-1-acid
       glycoprotein which includes this deprogenation step, and to the
       depyrogenated product and its clinical uses.
L8
     ANSWER 4 OF 4 WPIDS COPYRIGHT 2004 THOMSON DERWENT on STN
     1997-470537 [43]
                        WPIDS
AN
     C1997-149481
DNC
TΙ
     Removing lipo-polysaccharide from alpha-1 glyco-protein
     containing composition - by contacting composition with finely divided
```

**A** .

non-toxic resin.

```
DC
    LEWIN, D R; MORE, J E; ROTT, J
IN
     (NABL-N) NAT BLOOD AUTHORITY
PΑ
CYC
    23
                   A1 19970912 (199743)* EN
PΙ
                                              41p
        RW: AT BE CH DE DK ES FI FR GB GR IE IT LU MC NL PT SE
        W: AU CA JP US
     ZA 9701998
                  A 19971126 (199802)
                                              39p
    AU 9721023
                  A 19970922 (199804)
                  A1 19981223 (199904)
     EP 885241
        R: AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE
                  B 20000224 (200020)
     AU 716333
     JP 2001500839 W 20010123 (200107)
                                              36p
     US 6387877
                 B1 20020514 (200239)
     US 2002128180 A1 20020912 (200262)
ADT WO 9732893 A1 WO 1997-GB642 19970307; ZA 9701998 A ZA 1997-1998 19970307;
     AU 9721023 A AU 1997-21023 19970307; EP 885241 A1 EP 1997-906282 19970307,
     WO 1997-GB642 19970307; AU 716333 B AU 1997-21023 19970307; JP 2001500839
     W JP 1997-531591 19970307, WO 1997-GB642 19970307; US 6387877 B1 WO
     1997-GB642 19970307, US 1999-142348 19990125; US 2002128180 Al Cont of WO
     1997-GB642 19970307, Cont of US 1999-142348 19990125, US 2002-82925
     20020226
    AU 9721023 A Based on WO 9732893; EP 885241 A1 Based on WO 9732893; AU
     716333 B Previous Publ. AU 9721023, Based on WO 9732893; JP 2001500839 W
     Based on WO 9732893; US 6387877 B1 Based on WO 9732893
PRAI GB 1996-4921
                      19960308
          9732893 A UPAB: 19971030
       Removing lipopolysaccharide (LPS) from an
     alpha -1-acid glycoprotein (
     AAG) containing composition, comprises contacting the composition
     with a finely divided non-toxic resin.
          Also claimed are: (1) AAG substantially free of LPS
     , having a LPS concentration of at most 0.1 (particularly <
     0.050) Eu/mg AAG; (2) virus inactivated or
     virus depleted Apo-AAG composition; (3) Apo-AAG for
     use in therapy, or treatment of drug toxicity, and (4) a process
     for purifying AAG comprising contacting an AAG
     containing composition with an anion exchange
     matrix, eluting an AAG enriched fraction from the matrix
     and depyrogenating by contact with a divided non-toxic
     particulate resin followed by elution of a LPS
     depleted AAG fraction.
          The resin is a non-substituted, particulate, inorganic,
     hydrophilic or silane based resin, and comprises
     fumed silica. The ratio of resin to
     AAG protein is 50:1-0.2:1 (w/w), and in the depyrogenation
     step the AAG concentration in solution is 0.1-250 \text{ g/l}.
          USE - The process is used for the purification of
     AAG, giving compositions containing as little as 0.016 Eu/mg
     AAG protein.
          The Apo-AAG is particularly useful in the clinical
     management of drug overdoses, e.g. in the cases of tricyclic
     antidepressants where overdose can be lethal. The treatment of
     drug toxicity is especially useful for overdoses of quinine, lignococaine,
     propranolol, amitriptyline, desipramine and nortiptyline.
          ADVANTAGE - As LPS in the causitive agent of septic shock,
     which is a major cause of morbidity following gram negative bacterial
     infection, particularly in hospitalised and immunocompromised patients,
     the presence of LPS in AAG compositions renders them
     unsuitable for human therapy. Currently available methods of
     purifying AAG are laborious and time consuming,
     involving a large number of individual steps, and are unsuitable for large
     scale preparative processes.
     Dwg.0/2
```

```
=> s 17 and (depyrogenat? or inactivat? or treat?)
          1446 L7 AND (DEPYROGENAT? OR INACTIVAT? OR TREAT?)
=> s 19 and (Cohn fraction?)
             5 L9 AND (COHN FRACTION?)
L10
=> dup rem 110
PROCESSING COMPLETED FOR L10
              5 DUP REM L10 (0 DUPLICATES REMOVED)
=> d l11 1-5 bib ab
    ANSWER 1 OF 5 USPATFULL on STN
       2003:283079 USPATFULL
AN
ΤI
       ICAM-related protein
       Gallatin, W. Michael, Mercer Island, WA, UNITED STATES
TN
       Vazeux, Rosemay, Seattle, WA, UNITED STATES
                               20031023
PΙ
       US 2003199423
                          A1
                               20020605 (10)
ΑI
       US 2002-163942
                          A1
       Continuation of Ser. No. US 2001-753436, filed on 3 Jan 2001, ABANDONED
RLI
       Continuation of Ser. No. US 1999-382289, filed on 24 Aug 1999, ABANDONED
       Continuation-in-part of Ser. No. US 1995-487113, filed on 7 Jun 1995,
       GRANTED, Pat. No. US 5837822 Continuation-in-part of Ser. No. US
       1993-102852, filed on 5 Aug 1993, ABANDONED Continuation-in-part of Ser.
       No. US 1993-9266, filed on 22 Jan 1993, ABANDONED Continuation-in-part
       of Ser. No. WO 1993-US787, filed on 26 Jan 1993, PENDING
       Continuation-in-part of Ser. No. US 1992-894061, filed on 5 Jun 1992,
       ABANDONED Continuation-in-part of Ser. No. US 1992-889724, filed on 26
       May 1992, ABANDONED Continuation-in-part of Ser. No. US 1992-827689,
       filed on 27 Jan 1992, ABANDONED
DT
       Utility
       APPLICATION
FS
       MARSHALL, GERSTEIN & BORUN, 6300 SEARS TOWER, 233 SOUTH WACKER, CHICAGO,
LREP
       IL, 60606-6357
       Number of Claims: 5
CLMN
       Exemplary Claim: 1
ECL
       33 Drawing Page(s)
DRWN
LN.CNT 7097
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       DNA sequences encoding a novel human intercellular adhesion molecule
ΆB
       polypeptide (designated "ICAM-R") and variants thereof are disclosed
       along with methods and materials for production of the same by
       recombinant procedures. Binding molecules specific for ICAM-R and
       variants thereof are also disclosed as useful in both the isolation of
       ICAM-R from natural cellular sources and the modulation of
       ligand/receptor binding biological activities of ICAM-R.
L11 ANSWER 2 OF 5 USPATFULL on STN
       2002:235983 USPATFULL
AN
       Purification method
тT
       More, John Edward, Elstree, UNITED KINGDOM
IN
       Rott, Jacqueline, Elstree, UNITED KINGDOM
       Lewin, David Roger, Elstree, UNITED KINGDOM
       National Blood Authority (non-U.S. corporation)
PΑ
       US 2002128180
                          A1
                                20020912
PΤ
                               20020226 (10)
       US 2002-82925
                          A1
AΤ
RLI
       Continuation of Ser. No. US 1999-142348, filed on 25 Jan 1999, PENDING A
       371 of International Ser. No. WO 1997-GB642, filed on 7 Mar 1997,
       UNKNOWN
PRAI
       GB 1996-4921
                           19960308
DT
       Utility
FS
       APPLICATION
       SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A., P.O. BOX 2938, MINNEAPOLIS,
LREP
       MN, 55402
CLMN
       Number of Claims: 26
```

```
Exemplary Claim: 1
ECL
       2 Drawing Page(s)
DRWN
LN.CNT 971
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       The invention relates to a method of removing
AB
       endotoxin from preparation of alpha-
       1-acid glycoprotein (orosomucoid) by contact
       with a finely divided non-toxic resin such as fumed
       silica. The invention also relates to a purification
       process for alpha-1-acid
       glycoprotein which includes this depyrogenation step,
       and to the depyrogenated product and its clinical uses.
L11 ANSWER 3 OF 5 USPATFULL on STN
       2002:109017 USPATFULL
AN
       Purification method
TI
       More, John Edward, Elstree, UNITED KINGDOM
TN
       Rott, Jacqueline, Elstree, UNITED KINGDOM
       Lewin, David Roger, Elstree, UNITED KINGDOM
       National Blood Authority, UNITED KINGDOM (non-U.S. corporation)
PA
PΙ
                          В1
                               20020514
       US 6387877
       WO 9732893 19970912
       US 1999-142348
                                19990125 (9)
AΙ
       WO 1997-GB642
                                19970307
                                19990125 PCT 371 date
                           19960308
PRAI
       DE 1996-4921
DT
       Utility
FS
       GRANTED
       Primary Examiner: Low, Christopher S. F.; Assistant Examiner: Mohamed,
EXNAM
       Abdel A.
       Schwegman, Lundberg, Woessner & Kluth, P.A.
LREP
CLMN
       Number of Claims: 17
ECL
       Exemplary Claim: 1
       2 Drawing Figure(s); 2 Drawing Page(s)
DRWN
LN.CNT 942
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       The invention relates to a method of removing
       endotoxin from preparations of alpha-
       1-acid glycoprotein (orosomucoid) by contact
       with a finely divided non-toxic resin such as fumed
       silica. The invention also relates to a purification
       process for alpha-1-acid
       glycoprotein which includes this deprogenation step, and to the
       depyrogenated product and its clinical uses.
L11 ANSWER 4 OF 5 USPATFULL on STN
ΑN
       2001:176635 USPATFULL
ΤI
       Icam-related protein
       Gallatin, W. Michael, Mercer Island, WA, United States
TN
       Vazeux, Rosemay, Seattle, WA, United States
PA
       ICOS Corporation (U.S. corporation)
PI
       US 2001029293
                          Α1
                                20011011
                                20010103 (9)
ΑI
       US 2001-753436
                          Α1
       Continuation of Ser. No. US 1999-382289, filed on 24 Aug 1999, ABANDONED
RLI
       Continuation-in-part of Ser. No. US 1995-487113, filed on 7 Jun 1995,
       GRANTED, Pat. No. US 5837822 Continuation-in-part of Ser. No. US
       1993-102852, filed on 5 Aug 1993, ABANDONED Continuation-in-part of Ser.
       No. US 1993-9266, filed on 22 Jan 1993, ABANDONED Continuation-in-part
       of Ser. No. WO 1993-US787, filed on 26 Jan 1993, UNKNOWN
       Continuation-in-part of Ser. No. US 1992-894061, filed on 5 Jun 1992,
       ABANDONED Continuation-in-part of Ser. No. US 1992-889724, filed on 26
       May 1992, ABANDONED Continuation-in-part of Ser. No. US 1992-827689,
       filed on 27 Jan 1992, ABANDONED
       Utility
DT
       APPLICATION
FS
```

```
MARSHALL, O'TOOLE, GERSTEIN, MURRAY & BORUN, 6300 SEARS TOWER, 233 SOUTH
LREP
       WACKER DRIVE, CHICAGO, IL, 60606-6402
CLMN
       Number of Claims: 5
       Exemplary Claim: 1
ECL
       33 Drawing Page(s)
DRWN
LN.CNT 7122
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       DNA sequences encoding a novel human intercellular adhesion molecule
       polypeptide (designated "ICAM-R") and variants thereof are disclosed
       along with methods and materials for production of the same by
       recombinant procedures. Binding molecules specific for ICAM-R and
       variants thereof are also disclosed as useful in both the isolation of
       ICAM-R from natural cellular sources and the modulation of
       ligand/receptor binding biological activities of ICAM-R.
L11 ANSWER 5 OF 5 USPATFULL on STN
       1999:150946 USPATFULL
AN
       Methods for identifying modulators of protein kinase C phosphorylation
TΤ
       of ICAM-related protein
       Gallatin, W. Michael, Mercer Island, WA, United States
TN
       Vazeux, Rosemay, Seattle, WA, United States
       ICOS Corporation, Bothwell, WA, United States (U.S. corporation)
PA
                               19991123
       US 5989843
DΤ
       US 1996-720420
                               19960927 (8)
ΑТ
       Continuation-in-part of Ser. No. US 1995-487113, filed on 7 Jun 1995,
RIT
       now patented, Pat. No. US 5837822 which is a continuation-in-part of
       Ser. No. US 1993-102852, filed on 5 Aug 1993, now abandoned which is a
       continuation-in-part of Ser. No. US 1993-9266, filed on 22 Jan 1993, now
       abandoned And Ser. No. WO 1993-US787, filed on 26 Jan 1993 which is a
       continuation-in-part of Ser. No. US 1992-894061, filed on 5 Jun 1992,
       now abandoned which is a continuation-in-part of Ser. No. US
       1992-889724, filed on 26 May 1992 which is a continuation-in-part of
       Ser. No. US 1992-827689, filed on 27 Jan 1992
DT
       Utility
FS
       Granted
       Primary Examiner: Duffy, Patricia A.
EXNAM
LREP
       Marshall, O'Toole, Gerstein, Murray & Borun
       Number of Claims: 1
CLMN
       Exemplary Claim: 1
ECL
       39 Drawing Figure(s); 34 Drawing Page(s)
DRWN
LN.CNT 7311
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       Modulators of protein kinase C phosphorylation of human intercellular
       adhesion molecule polypeptide (designated "ICAM-R") are identified
       through novel methods.
=> s 19 and (filtrat? or pasteuriz?)
          1057 L9 AND (FILTRAT? OR PASTEURIZ?)
L12
=> s 112 and (resin)
L13
           781 L12 AND (RESIN)
=> s remov? and l13
           780 REMOV? AND L13
=> s depyrogen? and 114
            22 DEPYROGEN? AND L14
L15
=> s 18 and 115
             2 L8 AND L15
L16
=> s 110 and 115
```

2 L10 AND L15

L17

```
=> s 116 and 117
             2 L16 AND L17
L18
=> dis 118 1-2 bib ab
    ANSWER 1 OF 2 USPATFULL on STN
       2002:235983 USPATFULL
ΑN
       Purification method
ΤI
       More, John Edward, Elstree, UNITED KINGDOM
IN
       Rott, Jacqueline, Elstree, UNITED KINGDOM
       Lewin, David Roger, Elstree, UNITED KINGDOM
       National Blood Authority (non-U.S. corporation)
PA
                                20020912
       US 2002128180
                          A1
PΤ
                                20020226 (10)
       US 2002-82925
                          A1
ΑТ
       Continuation of Ser. No. US 1999-142348, filed on 25 Jan 1999, PENDING A
RLT
       371 of International Ser. No. WO 1997-GB642, filed on 7 Mar 1997,
       UNKNOWN
                           19960308
       GB 1996-4921
PRAI
       Utility
DT
FS
       APPLICATION
       SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A., P.O. BOX 2938, MINNEAPOLIS,
LREP
       MN, 55402
CLMN
       Number of Claims: 26
       Exemplary Claim: 1
ECL
DRWN
       2 Drawing Page(s)
LN.CNT 971
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       The invention relates to a method of removing
AB
       endotoxin from preparation of alpha-
       1-acid glycoprotein (orosomucoid) by contact
       with a finely divided non-toxic resin such as fumed
       silica. The invention also relates to a purification
       process for alpha-1-acid
       glycoprotein which includes this depyrogenation step,
       and to the depyrogenated product and its clinical uses.
L18
    ANSWER 2 OF 2 USPATFULL on STN
       2002:109017 USPATFULL
ΑN
TΙ
       Purification method
       More, John Edward, Elstree, UNITED KINGDOM
IN
       Rott, Jacqueline, Elstree, UNITED KINGDOM
       Lewin, David Roger, Elstree, UNITED KINGDOM
       National Blood Authority, UNITED KINGDOM (non-U.S. corporation)
PA
PΤ
       US 6387877
                          B1
                                20020514
       WO 9732893
                  19970912
       US 1999-142348
                                19990125 (9)
AΙ
       WO 1997-GB642
                                19970307
                                19990125 PCT 371 date
                            19960308
PRAI
       DE 1996-4921
DT
       Utility
FS
       GRANTED
       Primary Examiner: Low, Christopher S. F.; Assistant Examiner: Mohamed,
EXNAM
       Abdel A.
       Schwegman, Lundberg, Woessner & Kluth, P.A.
LREP
       Number of Claims: 17
CLMN
       Exemplary Claim: 1
ECL
DRWN
       2 Drawing Figure(s); 2 Drawing Page(s)
LN.CNT 942
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
       The invention relates to a method of removing
AΒ
       endotoxin from preparations of alpha-
       1-acid glycoprotein (orosomucoid) by contact
       with a finely divided non-toxic resin such as fumed
       silica. The invention also relates to a purification
       process for alpha-1-acid
```

glycoprotein which includes this deprogenation step, and to the depyrogenated product and its clinical uses.

```
=> s 116 and (drug toxic?)
             2 L16 AND (DRUG TOXIC?)
L19
=> d is 119 1-2 bib ab
    ANSWER 1 OF 2 USPATFULL on STN
       2002:235983 USPATFULL
AN
       Purification method
TΤ
       More, John Edward, Elstree, UNITED KINGDOM
TN
       Rott, Jacqueline, Elstree, UNITED KINGDOM
       Lewin, David Roger, Elstree, UNITED KINGDOM
       National Blood Authority (non-U.S. corporation)
PΑ
       US 2002128180
                                20020912
                          A1
PT
       US 2002-82925
                                20020226 (10)
                          Α1
ΑI
       Continuation of Ser. No. US 1999-142348, filed on 25 Jan 1999, PENDING A
RLI
       371 of International Ser. No. WO 1997-GB642, filed on 7 Mar 1997,
       UNKNOWN
                           19960308
PRAI
       GB 1996-4921
       Utility
DТ
       APPLICATION
FS
LN.CNT 971
INCL
       INCLM: 514/002.000
       INCLS: 514/012.000; 530/350.000; 530/412.000; 530/416.000
NCL
       NCLM:
              514/002.000
       NCLS: 514/012.000; 530/350.000; 530/412.000; 530/416.000
       [7]
IC
       ICM: A01N037-18
       ICS: A61K038-00; A61K038-16; C07K001-00; C07K014-00; C07K017-00;
       A23J001-00; C07K016-00
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
L19 ANSWER 2 OF 2 USPATFULL on STN
       2002:109017 USPATFULL
AN
ТT
       Purification method
       More, John Edward, Elstree, UNITED KINGDOM
IN
       Rott, Jacqueline, Elstree, UNITED KINGDOM
       Lewin, David Roger, Elstree, UNITED KINGDOM
       National Blood Authority, UNITED KINGDOM (non-U.S. corporation)
PA
                                20020514
PΙ
       US 6387877
       WO 9732893
                   19970912
                                19990125 (9)
       US 1999-142348
AΙ
                                19970307
       WO 1997-GB642
                                19990125 PCT 371 date
PRAI
       DE 1996-4921
                            19960308
DT
       Utility
FS
       GRANTED
LN.CNT 942
       INCLM: 514/008.000
INCL
       INCLS: 514/002.000; 530/384.000; 530/395.000; 530/412.000; 530/414.000;
              530/416.000; 530/417.000; 530/427.000; 530/829.000; 530/831.000;
              424/078.100; 424/078.110
NCL
       NCLM:
              514/008.000
              424/078.100; 424/078.110; 514/002.000; 530/384.000; 530/395.000;
       NCLS:
              530/412.000; 530/414.000; 530/416.000; 530/417.000; 530/427.000;
              530/829.000; 530/831.000
IC
       ICM: A61K038-16
       ICS: A61K031-74; C07K014-00
       514/8; 514/2; 530/384; 530/395; 530/412; 530/414; 530/416; 530/417;
EXF
       530/427; 530/829; 530/831; 424/78.1; 424/78.11
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
```